

Certificate of Analysis

ANALYZED BY:

Anresco Laboratories San Francisco, CA 94124 C8-0000052-Lic

TestMyKratom.org Miami, FL 33160 TestM SAMPLE INFORMATION 1258620 Date Collected: 11/18/2024 Sample No.: Product Name: Kratom Heads Bubble Gum 7-Date Received: 12/11/2024 OH tablet Date Reported: 12/13/2024 Lot #: 2024-11 atom Heads **TEST SUMMARY** Kratom.org Residual Solvent Screen: Pass Tested Alkaloids: 0 estM TestMyK **O**Pass **Overall:** Test Canresco MF 12D030 Test/WY 12/13/2024 Alkaloids+MyKraton Method: Instrument: Liquid Chromatography Diode Array Detector (LC-DAD) Limit of Quantitation Alkaloid Profile Extended (LC-DAD) 0.1 Limit of Detection 0.04 **Limit of Quantitation** 0.1 Analyte % mg/g mg/serving 7-OH Mitragynine 36.18 21.55 3.618 Mitragynine Pseudoindoxyl 1.72 0.172 1.02 <LOQ (0.05) org 0.092 0.55 Mitragynine TestMV <LOQ (0.005) <LOQ (0.03) Paynantheine Test Speciogynine ND ND ND Speciociliatine ND ND ND Total Alkaloids 38.87 3.887 23.15 Serving Weight (g) 0.5956 mg/serving = mg/tablet Comments

CUSTOMER:

TestMyKratom.org

18117 Biscayne Blvd Suite #4220



Kratom.org

TestMyKratom.org

TestMyKratom.org

Test

Anresco Laboratories www.anresco.com 1375 Van Dyke Ave, San Francisco, CA 94124 Sample #: 1258620 Lot #: 2024-11

Page **1** of **2** Report ID: S-2

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. If you have received this document in error, please immediately notify us and return it to the address listed above.





(notom.org



Certificate of Analysis

Residual Solvent Screen 🔮 Pass

12/13/2024

Method: USP <467>	org	Findings (ppm)	°C	Status O
Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1,2-Dichloroethane	0.2/0.5	TectMND	5 TestMy	Pass
Acetone	67/200	lest ND	5000	Pass
Acetonitrile	67/200	ND	410	Pass
Benzene	0.2/0.5	ND	2	Pass
n-Butane	67/200	ND	-	-
Chloroform	0.2/0.5	ND	60	Pass
Ethanol	67/200	ND	5000	Pass
Ethyl acetate	67/200	1200.00	5000	Pass
Ethyl ether	67/200	ND	5000	Pass
Ethylene oxide	0.2/0.5	ND	10	Pass
n-Heptane	67/200	ND	5000	Pass
n-Hexane	67/200 67/200	OFB ND	290 018	Pass
Isopropyl alcohol	67/200	ND	5000	Pass
Methanol	67/200	1100.00	3000	Pass
Methylene chloride	0.2/0.5	ND	600	Pass
n-Pentane	67/200	ND	5000	Pass
Propane	67/200	ND	-	-
Toluene	67/200	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	67/200	ND	2170	Pass
Trichloroethylene	0.2/0.5	ND	80	Pass

TestMyKratom.org

ND = None Detected LOD = Limit of Detection LOQ = Limit of Quantitation



Reported by MyKratom.org

Vu Lam Lab Co Director December 13, 2024

Kratom.org

TestMyKratom.org

TestMyKratom.org

TestMyKratom.org

Test

TestMyKratom.org

TestMyKratom.org

TestMyKratom.org

Kratom.org

TestMyKratom.org

Test

Anresco Laboratories www.anresco.com 1375 Van Dyke Ave, San Francisco, CA 94124 Sample #: 1258620 Lot #: 2024-11 Page **2** of **2** Report ID: S-2

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. If you have received this document in error, please immediately notify us and return it to the address listed above.





