

ANALYZED BY:

Anresco Laboratories
1375 Van Dyke Avenue,
San Francisco, CA 94124

CUSTOMER:

TestMyKratom.org
18117 Biscayne Blvd Suite #4220
Miami, FL 33160



SAMPLE INFORMATION

Sample No.: 1388540
Product Name: Numbz 50mg Kiwi Apple 7-OH tablet
Lot #: 2026-03

Date Collected: 03/04/2026
Date Received: 03/02/2026
Date Reported: 03/11/2026

TEST SUMMARY

Alkaloids: Tested
Overall: Pass
Residual Solvent Screen: Pass

Alkaloids

03/11/2026

Method: MF 12D030
Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)
Limit of Detection 0.04 mg/g
Limit of Quantitation 0.1 mg/g

Analyte	mg/g	%	mg/serving
7-OH Mitragynine	38.93	3.893	36.82
MGM-15	ND	ND	ND
Mitragynine Pseudoindoxyl	3.69	0.369	3.49
Mitragynine	3.63	0.363	3.43
Paynantheine	ND	ND	ND
Speciogynine	0.70	0.070	0.66
Speciociliatine	ND	ND	ND
Total Alkaloids	46.95	4.695	44.41
Serving Weight (g)	0.9458		

Comment(s): mg/serving = mg/tablet

Residual Solvent Screen Pass

03/06/2026

Method: USP <467>

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1,2-Dichloroethane	0.2/0.5	ND	5	Pass
Acetone	67/200	330.00	5000	Pass
Acetonitrile	67/200	ND	410	Pass
Benzene	0.2/0.5	ND	2	Pass
n-Butane	67/200	ND	-	-
Chloroform	0.2/0.5	ND	60	Pass
Ethanol	67/200	ND	5000	Pass
Ethyl acetate	67/200	880.00	5000	Pass
Ethyl ether	67/200	ND	5000	Pass
Ethylene oxide	0.2/0.5	ND	10	Pass
n-Heptane	67/200	ND	5000	Pass
n-Hexane	67/200	ND	290	Pass
Isopropyl alcohol	67/200	ND	5000	Pass
Methanol	67/200	1440.00	3000	Pass
Methylene chloride	0.2/0.5	ND	600	Pass
n-Pentane	67/200	ND	5000	Pass
Propane	67/200	ND	-	-
Toluene	67/200	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	67/200	ND	2170	Pass
Trichloroethylene	0.2/0.5	ND	80	Pass

Reported by



Vu Lam
Lab Co Director
March 11, 2026

ND = None Detected
LOD = Limit of Detection
LOQ = Limit of Quantitation



Scan to verify