

**ANALYZED BY:**

Anresco Laboratories  
1375 Van Dyke Avenue,  
San Francisco, CA 94124

**CUSTOMER:**

TestMyKratom.org  
18117 Biscayne Blvd Suite #4220  
Miami, FL 33160



**SAMPLE INFORMATION**

**Sample No.:** 1390609  
**Product Name:** simply 7oh 30mg Wintergreen Nano 7-OH tablet  
**Lot #:** 2026-03

**Date Collected:** 03/11/2026  
**Date Received:** 03/12/2026  
**Date Reported:** 03/18/2026

**TEST SUMMARY**

**Alkaloids:**  Tested  
**Overall:**  Pass

**Residual Solvent Screen:**  Pass

**Alkaloids**

03/18/2026

**Method:** MF 12D030  
**Instrument:** Liquid Chromatography Diode Array Detector (LC-DAD)  
**Limit of Detection** 0.04 mg/g  
**Limit of Quantitation** 0.1 mg/g

Analyte	mg/g	%	mg/serving
7-OH Mitragynine	53.36	5.336	27.18
MGM-15	ND	ND	ND
Mitragynine Pseudoindoxyl	3.70	0.370	1.89
Mitragynine	ND	ND	ND
Paynantheine	ND	ND	ND
Speciogynine	ND	ND	ND
Speciociliatine	ND	ND	ND
Total Alkaloids	57.06	5.706	29.06
<b>Serving Weight (g)</b>	0.5093		

**Comment(s):** mg/serving = mg/tablet

**Residual Solvent Screen**  Pass

03/18/2026

**Method:** USP <467>

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1,2-Dichloroethane	0.2/0.5	ND	5	Pass
Acetone	67/200	210.00	5000	Pass
Acetonitrile	67/200	ND	410	Pass
Benzene	0.2/0.5	ND	2	Pass
n-Butane	67/200	ND	-	-
Chloroform	0.2/0.5	ND	60	Pass
Ethanol	67/200	2300.00	5000	Pass
Ethyl acetate	67/200	430.00	5000	Pass
Ethyl ether	67/200	ND	5000	Pass
Ethylene oxide	0.2/0.5	ND	10	Pass
n-Heptane	67/200	ND	5000	Pass
n-Hexane	67/200	ND	290	Pass
Isopropyl alcohol	67/200	ND	5000	Pass
Methanol	67/200	2930.00	3000	Pass
Methylene chloride	0.2/0.5	ND	600	Pass
n-Pentane	67/200	ND	5000	Pass
Propane	67/200	ND	-	-
Toluene	67/200	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	67/200	ND	2170	Pass
Trichloroethylene	0.2/0.5	ND	80	Pass

Reported by



Vu Lam  
Lab Co Director  
March 18, 2026

ND = None Detected  
LOD = Limit of Detection  
LOQ = Limit of Quantitation



Scan to verify