




CERTIFICATE OF ANALYSIS

Sample(s) Receipt Date(s):	3/12/2026		Batch(s):	B260312-3					
Received by:	LC		Sample ID #:	2603-285					
Customer Name/ID:	Test My Kratom (TMK)		Date of Analysis/Testing:	3/12/2026					
Product/ Sample Name	Dollar Tabs 12mg Pink Mixed Berry tablet	Lot #	2026-03						
Final Disposition	PASS	Method Group	Method ID	Date	Unit Weight (g)	Analyte	Concentration (mg/Unit)	Concentration (mg/g)	Disposition
		Kratom Alkaloids	WKI-03-0107 HPLC/DAD	3/12/2026	0.6307	7OH-Mitragynine	12	19	N/A
		Volatile Solvents	GC/MS	3/16/2026		N/A			PASS
Method Group	Analyte / Property	LOD (mg/g)	LOQ (mg/g)	Results (%)	Results (mg/g)	Results (mg/Unit)		Acceptance Criteria	Disposition
Kratom Alkaloids	Mitragynine	0.125	0.2604	ND	N/A	N/A			
	Mitragynine Pseudoindoxyl	0.125	0.2604	0.04%	0.37	0.23			
	7OH-Mitragynine	0.125	0.2604	1.45%	14.54	9.17			N/A
	Paynantheine	0.125	0.2604	ND	N/A	N/A			
	Speciogynine	0.125	0.2604	ND	N/A				
	Speciociliatine	0.125	0.2604	ND	N/A				
	Mitraphylline	0.125	0.2604	ND	N/A				
	Isorhynchophylline	0.125	0.2604	ND	N/A				
Total Alkaloids				1.49%	14.91	9.40		N/A	
Method Group	Analyte / Property	LOD (µg/g)	LOQ (µg/g)	Results (µg/g)		Results (µg/Unit)		Limit Amount (µg/g)	Disposition
Volatile Solvents (Category 1)	1,2-Dichloroethane	0.170	0.509	ND		N/A		1	PASS
	Benzene	0.021	0.064	ND		N/A		1	PASS
	Chloroform	0.036	0.108	ND		N/A		1	PASS
	Ethylene Oxide	0.153	0.579	ND		N/A		1	PASS
	Methylene Chloride	0.127	0.729	ND		N/A		1	PASS
	Trichloroethene	0.018	0.145	ND		N/A		1	PASS
Volatile Solvents (Category 2)	Acetone	17.082	51.246	ND		N/A		5000	PASS
	Acetonitrile	0.120	0.359	ND		N/A		410	PASS
	Butane	0.971	4.849	ND		N/A		5000	PASS
	Ethanol	2.614	7.843	ND		N/A		5000	PASS
	Ethyl Acetate	0.313	2.288	ND		N/A		5000	PASS
	Diethyl Ether	1.183	3.548	ND		N/A		5000	PASS
	Heptane	0.687	2.859	ND		N/A		5000	PASS
	Hexane	0.066	0.281	ND		N/A		290	PASS
	Isopropanol	1.280	3.840	ND		N/A		5000	PASS
	Methanol	2.972	8.917	325		515		3000	PASS
	Pentane	0.962	4.271	ND		N/A		5000	PASS
	Propane	4.434	13.302	ND		N/A		5000	PASS
	Toluene	0.088	0.864	ND		N/A		890	PASS
	Xylenes (-m + -o + -p)	0.216	2.572	ND		N/A		2170	PASS
NOTES: <LOQ = Below limit of Quantitation / ND = Not Detected (Below limit of Detection (<LOD)) / 1µg/mL = 1ppm / 1000µg/mL = 1mg/mL / 1% = 10mg/g									

NOTES: <LOQ = Below limit of Quantitation / ND = Not Detected (Below limit of Detection (<LOD)) / 1µg/mL = 1ppm / 1000µg/mL = 1mg/mL / 1% = 10mg/g

Performed by/Date:

Checked by/Date:

Notes: This Certificate of analysis only reflects data for the samples indicated on this form, as received by NNA in a good condition. Rev1 adds the results from volatile solvents testing. This report contains all parts of the complete report.

