

Certificate of Analysis



Customer Information

Client: TestMyKratom.org
Attention: test.my.kratom@gmail.com
Address: 18117 Biscayne Blvd, Suite #4220
Miami, FL 33160

Testing Facility

Lab: Cora Science, LLC
Address 8000 Anderson Square, STE 113
Austin, Texas 78757
Contact: info@corascience.com
(512) 856-5007

Sample Image(s)



Sample Information

Name: 7ohBlack Sour Apple tablet
Lot Number: 2025-04
Description: Pressed Tablet
Condition: Good
Job ID: ISO03847
Sample ID: I09992
Received: 23APR2025
Completed: 23APR2025
Issued: 24APR2025

Test Results

Mitragyna Alkaloids (UHPLC-DAD) Method Code: T102 Tested: 23APR2025 | 2104

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	0.407	mg/unit	0.02	N/A
7-Hydroxymitragynine	Report Results	8.30	mg/unit	0.02	N/A
Mitragynine Pseudoindoxyl	Report Results	0.472	mg/unit	0.02	N/A
Mitraciliatine	Report Results	<LOQ	mg/unit	0.02	N/A
Speciociliatine	Report Results	<LOQ	mg/unit	0.02	N/A
Speciogynine	Report Results	0.143	mg/unit	0.02	N/A
Paynantheine	Report Results	0.192	mg/unit	0.02	N/A
Corynoxine	Report Results	0.398	mg/unit	0.02	N/A
Isorhynchophylline	Report Results	0.0729	mg/unit	0.02	N/A
Mitraphylline	Report Results	<LOQ	mg/unit	0.02	N/A
Total Mitragyna Alkaloids	Report Results	10.0	mg/unit	0.02	N/A

Mitragyna Alkaloids (UHPLC-DAD) Method Code: T102 Tested: 23APR2025 | 2104

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	0.0748	w/w%	0.003	N/A
7-Hydroxymitragynine	Report Results	1.53	w/w%	0.003	N/A
Mitragynine Pseudoindoxyl	Report Results	0.0868	w/w%	0.003	N/A
Mitraciliatine	Report Results	<LOQ	w/w%	0.003	N/A
Speciociliatine	Report Results	<LOQ	w/w%	0.003	N/A
Speciogynine	Report Results	0.0264	w/w%	0.003	N/A
Paynantheine	Report Results	0.0352	w/w%	0.003	N/A
Corynoxine	Report Results	0.0732	w/w%	0.003	N/A
Isorhynchophylline	Report Results	0.0134	w/w%	0.003	N/A
Mitraphylline	Report Results	<LOQ	w/w%	0.003	N/A
Total Mitragyna Alkaloids	Report Results	1.84	w/w%	0.003	N/A

This report, prepared by Cora Science, LLC, shall not be reproduced except in its entirety without prior written approval. All test articles are analyzed as received and the results relate only to the specific sample of material or product analyzed. Test methods are performed in a laboratory accredited to ISO/IEC 17025:2017 in the field of testing by PJLA (Accreditation #116374) or a registered outsourcing facility. Some test methods reported may fall outside the scope of L22-250 supplement.

Residual Solvents: Class I (GC-MS)

Method Code: T201

Tested: 23APR2025 | 2318

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
1,1-Dichloroethene	NMT 8	<LOQ	ug/g	0.40	PASS
1,1,1-Trichloroethane	NMT 1500	<LOQ	ug/g	75	PASS
Tetrachloromethane	NMT 4	<LOQ	ug/g	0.20	PASS
Benzene	NMT 2	<LOQ	ug/g	0.10	PASS
1,2-Dichloroethane	NMT 5	<LOQ	ug/g	0.25	PASS

Residual Solvents: Class II (GC-MS)

Method Code: T201

Tested: 23APR2025 | 2318

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Methanol	NMT 3000	<LOQ	ug/g	150	PASS
Acetonitrile	NMT 410	<LOQ	ug/g	41	PASS
Dichloromethane	NMT 600	<LOQ	ug/g	15	PASS
1,2-Dichloroethene, (E)	NMT 1870	<LOQ	ug/g	47	PASS
1,2-Dichloroethene, (Z)	NMT 1870	<LOQ	ug/g	47	PASS
Tetrahydrofuran	NMT 720	<LOQ	ug/g	18	PASS
Cyclohexane	NMT 3880	<LOQ	ug/g	97	PASS
Methylcyclohexane	NMT 1180	<LOQ	ug/g	30	PASS
1,4-Dioxane	NMT 380	<LOQ	ug/g	38	PASS
Toluene	NMT 890	<LOQ	ug/g	22	PASS
Chlorobenzene	NMT 360	<LOQ	ug/g	9.0	PASS
Ethylbenzene	NMT 2170	<LOQ	ug/g	54	PASS
o/p-Xylene	NMT 2170	<LOQ	ug/g	54	PASS
m-Xylene	NMT 2170	<LOQ	ug/g	54	PASS
Isopropylbenzene	NMT 70	<LOQ	ug/g	1.8	PASS
Hexane	NMT 290	<LOQ	ug/g	7.3	PASS
Nitromethane	NMT 50	<LOQ	ug/g	1.3	PASS
Chloroform	NMT 60	<LOQ	ug/g	1.5	PASS
1,2-Dimethoxyethane	NMT 100	<LOQ	ug/g	2.5	PASS
Trichloroethene	NMT 80	<LOQ	ug/g	2.0	PASS
Pyridine	NMT 200	<LOQ	ug/g	5.0	PASS
2-Hexanone	NMT 50	<LOQ	ug/g	5.0	PASS
Tetralin	NMT 100	<LOQ	ug/g	2.5	PASS

Residual Solvents: Class III (GC-MS)

Method Code: T201

Tested: 23APR2025 | 2318

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Pentane	NMT 5000	<LOQ	ug/g	125	PASS
Ethanol	NMT 5000	<LOQ	ug/g	125	PASS
Diethyl Ether	NMT 5000	<LOQ	ug/g	125	PASS
Acetone	NMT 5000	<LOQ	ug/g	125	PASS
Ethyl Formate	NMT 5000	<LOQ	ug/g	125	PASS
Isopropanol	NMT 5000	<LOQ	ug/g	125	PASS
Methyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS
Methyl tert-Butyl Ether	NMT 5000	<LOQ	ug/g	125	PASS
1-Propanol	NMT 5000	<LOQ	ug/g	125	PASS
2-Butanone	NMT 5000	<LOQ	ug/g	125	PASS
Ethyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS
2-Butanol	NMT 5000	<LOQ	ug/g	125	PASS
2-Methyl-1-Propanol	NMT 5000	<LOQ	ug/g	125	PASS
Isopropyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS
Heptane	NMT 5000	<LOQ	ug/g	125	PASS
1-Butanol	NMT 5000	<LOQ	ug/g	125	PASS
Propyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS
4-Methyl-2-Pentanone	NMT 5000	<LOQ	ug/g	125	PASS
Isoamyl Alcohol	NMT 5000	<LOQ	ug/g	125	PASS
Isobutyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS
1-Pentanol	NMT 5000	<LOQ	ug/g	125	PASS
Butyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS
Dimethylsulfoxide	NMT 5000	<LOQ	ug/g	125	PASS
Anisole	NMT 5000	<LOQ	ug/g	125	PASS

Elemental Impurities (ICP-MS)

Method Code: T301

Tested: 23APR2025 | 1638

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Arsenic	NMT 1.50	0.006	ug/g	0.006	PASS
Cadmium	NMT 0.50	<LOQ	ug/g	0.002	PASS
Mercury	NMT 0.20	0.004	ug/g	0.002	PASS
Lead	NMT 0.50	0.008	ug/g	0.002	PASS

Additional Report Notes

T102 result, LOQ and unit converted from w/w% to mg/unit using a laboratory measured unit weight of 0.544 grams.

Revision History

rev 00 - Initial release.

Abbreviations

ID: identification, **N/A:** not applicable, **LOQ:** limit of quantitation, **CFU:** colony forming units, **w/w%:** weight by weight percent, **mg:** milligrams, **g:** grams, **ug:** micrograms, **mL:** milliliters, **ND:** not detected, **<LOQ:** below limit of quantitation, **NMT:** no more than, **NLT:** no less than, **UHPLC:** ultra-high performance liquid chromatography, **GC:** gas chromatography, **DAD:** diode array detection/detector, **MS:** mass spectroscopy/spectrometer, **ICP:** inductively coupled plasma, **ISO:** International Organization for Standardization, **USP:** United States Pharmacopeia

Authorization

This report has been authorized for release from Cora Science by:

Signature:		Position:	Laboratory Director
Name:	Tyler West	Department:	Management
		Date:	24APR2025