



Certificate of Analysis

Customer Information

Client: TestMyKratom.org
Attention: tmk@testmykratom.org
Address: 1450 Sutter St., PMB 520
 San Francisco, CA 94109

Testing Facility

Lab: Cora Science, LLC
Address: 8000 Anderson Square, STE 113
 Austin, Texas 78757
Contact: info@corascience.com
 (512) 856-5007

Sample Image(s)



Sample Information

Name: Limitless 100mg Blue Razz 7-OH tablet
Lot Number: 2026-03
Description: Pressed tablet
Condition: Good
Job ID: ISO06537
Sample ID: I18242
Received: 12MAR2026
Completed: 18MAR2026
Issued: 20MAR2026

Test Results

Mitragyna Alkaloids (UHPLC-DAD)

Method Code: T102

Tested: 16MAR2026 | 1024

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	1.68	mg/unit	0.030	N/A
7-Hydroxymitragynine	Report Results	69.9	mg/unit	0.0040	N/A
Mitragynine Pseudoindoxyl	Report Results	0.863	mg/unit	0.030	N/A
Mitraciliatine	Report Results	<LOQ	mg/unit	0.030	N/A
Speciociliatine	Report Results	0.255	mg/unit	0.030	N/A
Speciogynine	Report Results	0.385	mg/unit	0.030	N/A
Paynantheine	Report Results	0.342	mg/unit	0.030	N/A
Coryantheidine	Report Results	0.184	mg/unit	0.030	N/A
Corynoxine	Report Results	0.109	mg/unit	0.030	N/A
Isorhynchophylline	Report Results	<LOQ	mg/unit	0.030	N/A
Mitraphylline	Report Results	<LOQ	mg/unit	0.030	N/A
Total Mitragyna Alkaloids	Report Results	73.7	mg/unit	0.030	N/A

Mitragyna Alkaloids (UHPLC-DAD)

Method Code: T102

Tested: 16MAR2026 | 1024

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	0.318	w/w%	0.0056	N/A
7-Hydroxymitragynine	Report Results	13.2	w/w%	0.00075	N/A
Mitragynine Pseudoindoxyl	Report Results	0.163	w/w%	0.0056	N/A
Mitraciliatine	Report Results	<LOQ	w/w%	0.0056	N/A
Speciociliatine	Report Results	0.0482	w/w%	0.0056	N/A
Speciogynine	Report Results	0.0727	w/w%	0.0056	N/A
Paynantheine	Report Results	0.0646	w/w%	0.0056	N/A
Coryantheidine	Report Results	0.0347	w/w%	0.0056	N/A

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Corynoxine	Report Results	0.0205	w/w%	0.0056	N/A
Isorhynchophylline	Report Results	<LOQ	w/w%	0.0056	N/A
Mitraphylline	Report Results	<LOQ	w/w%	0.0056	N/A
Total Mitragyna Alkaloids	Report Results	13.9	w/w%	0.0056	N/A

Assay (w/w%) [UHPLC-DAD]

Method Code: T100

Tested: 16MAR2026 | 0454

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Dihydro-7-hydroxymitragynine	Report Results	<LOQ	mg/unit	0.031	N/A

Assay (w/w%) [UHPLC-DAD]

Method Code: T100

Tested: 16MAR2026 | 0454

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Dihydro-7-hydroxymitragynine	Report Results	<LOQ	w/w%	0.0059	N/A

Residual Solvents: Class I (GC-MS)

Method Code: T201

Tested: 18MAR2026 | 0518

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
1,1-Dichloroethene	NMT 8	<LOQ	ug/g	0.40	PASS
1,1,1-Trichloroethane	NMT 1500	<LOQ	ug/g	75	PASS
Tetrachloromethane	NMT 4	<LOQ	ug/g	0.20	PASS
Benzene	NMT 2	<LOQ	ug/g	0.10	PASS
1,2-Dichloroethane	NMT 5	<LOQ	ug/g	0.25	PASS

Residual Solvents: Class II (GC-MS)

Method Code: T201

Tested: 18MAR2026 | 0518

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Methanol	NMT 3000	<LOQ	ug/g	75	PASS
Acetonitrile	NMT 410	<LOQ	ug/g	41	PASS
Dichloromethane	NMT 600	<LOQ	ug/g	15	PASS
1,2-Dichloroethene, (E)	NMT 1870	<LOQ	ug/g	46.75	PASS
1,2-Dichloroethene, (Z)	NMT 1870	<LOQ	ug/g	46.75	PASS
Tetrahydrofuran	NMT 720	<LOQ	ug/g	18	PASS
Cyclohexane	NMT 3880	<LOQ	ug/g	97	PASS
Methylcyclohexane	NMT 1180	<LOQ	ug/g	29.5	PASS
1,4-Dioxane	NMT 380	<LOQ	ug/g	38	PASS
Toluene	NMT 890	<LOQ	ug/g	22.25	PASS
Chlorobenzene	NMT 360	<LOQ	ug/g	9	PASS
Ethylbenzene	NMT 2170	<LOQ	ug/g	54.25	PASS
o/p-Xylene	NMT 2170	<LOQ	ug/g	54.25	PASS
m-Xylene	NMT 2170	<LOQ	ug/g	54.25	PASS
Isopropylbenzene	NMT 70	<LOQ	ug/g	1.75	PASS
Hexane	NMT 290	<LOQ	ug/g	7.25	PASS
Nitromethane	NMT 50	<LOQ	ug/g	1.25	PASS
Chloroform	NMT 60	<LOQ	ug/g	1.5	PASS
1,2-Dimethoxyethane	NMT 100	<LOQ	ug/g	2.5	PASS
Trichloroethene	NMT 80	<LOQ	ug/g	2	PASS
Pyridine	NMT 200	<LOQ	ug/g	5	PASS
2-Hexanone	NMT 50	<LOQ	ug/g	5	PASS

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Tetralin	NMT 100	<LOQ	ug/g	2.5	PASS
Total Xylenes	NMT 2170	<LOQ	ug/g	54	PASS

Residual Solvents: Class III (GC-MS)

Method Code: T201

Tested: 18MAR2026 | 0518

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Pentane	NMT 5000	<LOQ	ug/g	125	PASS
Ethanol	NMT 5000	<LOQ	ug/g	125	PASS
Diethyl Ether	NMT 5000	<LOQ	ug/g	125	PASS
Acetone	NMT 5000	185	ug/g	125	PASS
Ethyl Formate	NMT 5000	<LOQ	ug/g	125	PASS
Isopropanol	NMT 5000	<LOQ	ug/g	125	PASS
Methyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS
Methyl tert-Butyl Ether	NMT 5000	<LOQ	ug/g	125	PASS
1-Propanol	NMT 5000	<LOQ	ug/g	125	PASS
2-Butanone	NMT 5000	<LOQ	ug/g	125	PASS
Ethyl Acetate	NMT 5000	1,936	ug/g	125	PASS
2-Butanol	NMT 5000	<LOQ	ug/g	125	PASS
2-Methyl-1-Propanol	NMT 5000	<LOQ	ug/g	125	PASS
Isopropyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS
Heptane	NMT 5000	<LOQ	ug/g	125	PASS
1-Butanol	NMT 5000	<LOQ	ug/g	125	PASS
Propyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS
4-Methyl-2-Pentanone	NMT 5000	<LOQ	ug/g	125	PASS
Isoamyl Alcohol	NMT 5000	<LOQ	ug/g	125	PASS
Isobutyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS
1-Pentanol	NMT 5000	<LOQ	ug/g	125	PASS
Butyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS
Anisole	NMT 5000	<LOQ	ug/g	125	PASS
Dimethylsulfoxide	NMT 5000	<LOQ	ug/g	125	PASS

Additional Report Notes

T102E result, LOQ and unit converted from w/w% to mg/unit using a laboratory measured unit weight of 0.530 grams.

Revision History

Report ID: 149bf2ec-6621-4f12-985d-f45f121b2b0c
rev 00 - Initial release.

Abbreviations

ID: identification, **N/A:** not applicable, **LOQ:** limit of quantitation, **CFU:** colony forming units, **w/w%:** weight by weight percent, **mg:** milligrams, **g:** grams, **ug:** micrograms, **mL:** milliliters, **ND:** not detected, **<LOQ:** below limit of quantitation, **NMT:** no more than, **NLT:** no less than, **UHPLC:** ultra-high performance liquid chromatography, **GC:** gas chromatography, **DAD:** diode array detection/detector, **MS:** mass spectroscopy/spectrometer, **ICP:** inductively coupled plasma, **ISO:** International Organization for Standardization, **USP:** United States Pharmacopeia

This report, prepared by Cora Science, LLC, shall not be reproduced except in its entirety without prior written approval. All test articles are analyzed as received and the results relate only to the specific sample of material or product analyzed. Test methods are performed in a laboratory accredited to ISO/IEC 17025:2017 in the field of testing by PJLA (Accreditation #116374) or a registered outsourcing facility. Some test methods reported may fall outside the scope of L22-250 supplement.

Authorization

This report has been authorized for release from Cora Science by:

Signature: *Tyler West*
Name: Tyler West

Position: Laboratory Director
Department: Management
Date: 20MAR2026